

Host: CW  
User: christof  
Pass: christof\_pw  
IP: DHCP  
SSH (user/pass): christof / christof\_pw

### MQTT Broker

User: mqtt\_user christof  
Pass: mqtt\_pw christof\_pw  
Port: 1883

### InfluxDB 3

Token: SPIryLp\_2qM35A-  
GDTE3gEoCtZqAPaiDxPwWglUy6JQ4uU4ctBbMZDsSD3D7kf5F  
okBQE4F2mmyx9pvOU7ryTg==

User: influx\_user  
Pass: influx\_pw  
Port: 8086  
Organisation: Bischoffsheim  
Bucket/Datenbank: Temperaturen

API-Token: INFLUX\_TOKEN=1wml0Wzrno-VPHxw0N4CSJh42aTAE-  
zCCAnAj8BLY\_YxsmexXO6\_8o7i1HDdAPzDUndCCsejWKq9GJX  
eYFDhpQ==

### Grafana

User: grafana\_user  
Pass: grafana\_pw

Db-Token: JRLBwdjA3Z72eLtWOLFjIW3pSYX6skcFiJE1jn-  
OUaN1r\_620iHwC8tmyEtZOmYRxhsPdB6HqYaE7gl72SWLOQ=  
=

Einstellungen Datenbankverbindung:

|        |          |         |                                     |
|--------|----------|---------|-------------------------------------|
| Name ⓘ | influxdb | Default | <input checked="" type="checkbox"/> |
|--------|----------|---------|-------------------------------------|

## Query language

Flux

## HTTP

### URL

Your access method is *Server*, this means the URL needs to be accessible from the grafana backend/server.

http://influx-influxdb-1:8086

### Allowed cookies

Grafana proxy deletes forwarded cookies by default. Specify cookies by name that should be forwarded to the data source.

New tag (enter key to add) Add

### Timeout

HTTP request timeout in seconds

Timeout in seconds

## Auth

|                          |                                     |                    |                          |
|--------------------------|-------------------------------------|--------------------|--------------------------|
| Basic auth               | <input checked="" type="checkbox"/> | With Credentials ⓘ | <input type="checkbox"/> |
| TLS Client Auth          | <input type="checkbox"/>            | With CA Cert ⓘ     | <input type="checkbox"/> |
| Skip TLS Verify          | <input type="checkbox"/>            |                    |                          |
| Forward OAuth Identity ⓘ | <input type="checkbox"/>            |                    |                          |

### Basic Auth Details

|          |             |       |
|----------|-------------|-------|
| User     | influx_user |       |
| Password | configured  | Reset |

### Custom HTTP Headers

+ Add header

## InfluxDB Details

|                     |               |       |
|---------------------|---------------|-------|
| Organization        | Bischoffsheim |       |
| Token               | configured    | Reset |
| Default Bucket      | Temperaturen  |       |
| Min time interval ⓘ | 10s           |       |
| Max series ⓘ        | 1000          |       |